

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

**EP 0 644 130 B1**

(12)

**EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention  
of the grant of the patent:  
20.05.1998 Bulletin 1998/21

(51) Int. Cl.<sup>6</sup>: **B65D 83/08, A47K 10/42**

(21) Application number: **94401949.6**

(22) Date of filing: **02.09.1994**

(54) **Upright facial tissue carton**

Aufrechter Kartonbehälter für Gesichtstücher

Carton d'emballage vertical pour mouchoirs faciaux

(84) Designated Contracting States:  
**BE DE ES FR GB IT NL SE**

(30) Priority: **20.09.1993 US 125043**

(43) Date of publication of application:  
**22.03.1995 Bulletin 1995/12**

(73) Proprietor:  
**KIMBERLY-CLARK WORLDWIDE, INC.**  
**Neenah, Wisconsin 54956 (US)**

(72) Inventors:  
• **North, Amie Marie**  
**Appleton, Wisconsin 54915 (US)**

• **Runge, Troy Michael**  
**Smyrna, Georgia 30080 (US)**  
• **Paulson, Linda Marie**  
**Pine River, Wisconsin 54965 (US)**

(74) Representative: **Sauvage, Renée**  
**Cabinet Sauvage**  
**100 bis, avenue de Saint-Mandé**  
**75012 Paris (FR)**

(56) References cited:  
**EP-A- 0 096 546** **DE-U- 9 108 036**  
**FR-A- 1 525 686** **FR-A- 2 239 972**  
**US-A- 2 323 395** **US-A- 3 325 003**

**EP 0 644 130 B1**

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

## Descripti n

Facial tissue cartons come in a wide variety of shapes and sizes, but they can generally be classified as either one of two basic styles. One style is the flat carton and the other is the upright carton. In the flat cartons, the tissues are laid flat in the bottom of the carton and are withdrawn from the top of the carton or through an opening in the top which partially extends down the front sidewall. The tissues within the carton may be interfolded for pop-up dispensing or merely laid on top of each other for reach-in dispensing. In the upright cartons, the tissues are folded into an inverted u-shaped clip and are interfolded for pop-up dispensing. The tissues are withdrawn through a dispensing opening in the top of the carton, which may contain a poly film having a slit to hold the popped up tissue in place.

The dispensing problems associated with flat cartons and upright cartons are distinctly different. With flat cartons, the major dispensing concern is usually "fallback", which occurs as the tissue clip within the carton gets low and the distance from the uppermost tissue to the opening in the top of the carton gets longer. This can cause the tissue to fall back into the box rather than being retained by the opening for ready removal. On the other hand, fallback is not a problem for upright cartons because the inverted u-shaped clip maintains all of the tissues within the clip in close proximity to the top opening at all times. However, tearing of the tissue sheets upon removal from the carton is a concern because of the frictional forces and pressures associated with the inverted u-shaped clip being pressed up against the walls of the carton and the intra-tissue contact. These resistive forces can cause the tissues to tear as they are pulled through the dispensing opening. This is particularly true for the first few sheets dispensed after the carton is opened. The problem is lessened as the tissues within the carton are used up and the compression of the clip is reduced.

Summary of the invention

It has now been discovered that the occurrence of sheet tears upon removal from upright tissue dispensing cartons can be greatly reduced by appropriately modifying the dispensing opening of an upright tissue carton containing a u-shaped clip of interfolded tissues, said carton having a top wall, four side walls and a bottom wall, said top wall having a carton opening overlaid with a flexible plastic film attached thereto, said plastic film having a dispensing opening through which the tissues are withdrawn from the carton. Such a tissue carton is for example disclosed in EP-A-0 096 546.

The dispensing opening of this invention is characterized in that it comprises two or more intersecting slits.

Such slits are already known from FR-A-2 239 972, for instance, which discloses a carton for containing a strip material having a liquid absorbed thereon and perforation lines along its length, and for tearing said strip material along said perforation lines, by means of intersecting slits provided in the flexible plastic top wall of the tissue carton, in order to provide the user with wet wipes of a predetermined length.

The intersecting slits according to this invention preferably provide an effective open area of about 12.9 cm<sup>2</sup> (about 2 square inches) or more, more specifically from about 32.3 cm<sup>2</sup> to about 103.2 cm<sup>2</sup> (about 5 to about 16 square inches). In a preferred embodiment of this invention, the dispensing opening has an effective open area of about 19.4 cm<sup>2</sup> (3 square inches) or greater, more specifically from about 19.4 cm<sup>2</sup> to about 103.2 cm<sup>2</sup> (3 to about 16 square inches), and still more specifically of from about 19.4 cm<sup>2</sup> to about 38.7 cm<sup>2</sup> (3 to about 6 square inches). The "effective" open area is the area available for the tissue sheet to pass through the plastic film. The effective open area not only includes any "actual" open area or holes in the plastic film, but also includes open areas created by opening flaps in the plastic film which are otherwise closed. Such flaps are formed by multiple slits in the plastic film as will be hereinafter illustrated. The area defined by an imaginary line connecting the ends of all of the slits is the "effective" open area. Preferably, the effective open area of the dispensing opening is greater than the actual open area of the dispensing opening. It is also preferred that the actual open area of the dispensing opening be from about 0 to about 12.9 cm<sup>2</sup> (from about 0 to about 2 square inches) or less, more preferably about 6.45 cm<sup>2</sup> (1 square inch) or less.

For purposes herein, the flexible plastic film is preferably sufficiently flexible so as to offer minimal resistance to the tissues as they are withdrawn through the dispensing opening. Suitable plastic films include polyethylene films having a thickness of about 0.076 mm (3 mil) or less, more suitably about 0.051 mm (2 mil) or less. The suitability of a plastic film or other material for use in connection with this invention can be determined by the Federal Test Method Standard No. 191, Method 5206.1 (July 10, 1970) entitled "Stiffness of Cloth, Drape and Flex; Cantilever Bending Method" and using a TMI FRL Cantilever Bend Tester<sup>R</sup>. The results are reported as bending length or drape stiffness. Plastic films for use herein preferably have a drape stiffness of about 76.2 mm (about 3 inches) or less, more preferably about 50.8 mm (about 2 inches) or less. A polyethylene film having a basis weight of about 35 grams per square inch and a drape stiffness of about 40.6 mm (about 1.6 inches) is particularly suitable. A highly drapeable or flexible material is particularly important with respect to the concept of effective open area, as will hereinafter be described. Other materials such as cardboard and paper which have very high drape stiffness values are too stiff and offer too much resistance to the sheets as they are dispensed.

It is within the scope of this invention that the shape of the dispensing opening can be irregular and/or unsymmet-

rical, although symmetrical openings are satisfactory. Dispensing openings having two or three or more slits centrally located within the carton opening and which intersect at approximately their midpoints work particularly well. The slits can be straight or curvilinear. As will be shown herein, two intersecting slits which intersect at an acute angle in the form of an "x" or intersect at right angles to form a "cross" work well. The x-shaped dispensing opening is preferred because it extends closer to the corners of the carton. This effectively decreases the distance the corners of the tissue have to travel to leave the carton, which is believed to be an important factor in reducing sheet tears. As will also be illustrated herein, some of the v-shaped flaps between the intersecting slits can also be removed if desired to provide a dispensing opening which has an "actual" open area as distinguished from the larger "effective" open area defined by the ends of the slits. However, it is preferable to retain at least two of such flaps to deaden the scratching noise which otherwise accompanies withdrawal of a tissue from a totally open dispensing opening. A dispensing opening having a small "actual" open area is also preferred for cleanliness and protecting the tissues within the carton.

The width of the dispensing opening, which is the maximum dimension of the effective open area as measured parallel to the cross-machine direction of the tissues within the carton, must be about 25.4 mm (about 1 inch) or greater, suitably from about 25.4 mm to about 101.6 mm (about 1 inch to about 4 inches), and more specifically from about 38.1 mm to about 76.2 mm (about 1.5 inch to about 3 inches). It is believed that an optimum dispensing opening width not only takes into account the need for a sufficiently large opening to reduce frictional and drag forces on the tissue, but also avoids overly reducing the carton stacking strength by eliminating too much of the cardboard in the top wall of the carton.

The length of the dispensing opening, which is the maximum dimension of the effective open area measured parallel to the machine direction of the tissues within the carton, can be about 63.5 mm (about 2.5 inches) or greater, preferably from about 76.2 mm to about 101.6 mm (about 3 inches to about 4 inches). Dispensing opening length of less than about 63.5 mm (about 2.5 inches) would be expected to cause greater amount of sheet tears. The maximum length of the dispensing opening is limited by the dimensions of the carton opening, which in turn is limited by the dimensions of the top of the carton. In all cases, it is preferred that the dispensing opening be sufficiently smaller than the carton opening so that the tissue sheets only contact the plastic film during dispensing, rather than contacting the edge of the carton opening. Contact with the carton opening will create greater friction and linting due to the relatively rough edges and thickness of the carton material.

The carton opening is preferably as large as possible consistent with the stacking strength requirements and carton aesthetics. Oval carton openings have gained acceptance in the field on a commercial basis. However, for purposes of this invention, other carton opening shapes can also be used and may be even more effective in reducing sheet tears. Square or rectangular carton openings, for example, can provide a shorter dispensing length of travel for the corners of the tissue if the dispensing opening is also extended toward the corners of the carton opening. Hence such carton openings may provide better dispensing compare to oval-shaped carton openings. Irregular shapes which extend toward the corners of the carton can also be used effectively. The cartons of this invention suitably have a carton opening area of about 38.7 cm<sup>2</sup> (about 6 square inches) or greater, more specifically from about 38.7 cm<sup>2</sup> to about 103.2 cm<sup>2</sup> (about 6 to about 16 square inches) or greater, and still more specifically from about 45.2 cm<sup>2</sup> to about 77.4 cm<sup>2</sup> (about 7 to about 12 square inches). For oval-shaped carton openings, the width of the carton opening in the cross-machine direction of the tissues within the carton is preferably from about 50.8 mm to about 76.2 mm (about 2 inches to about 3 inches) and more preferably from about 57.1 mm to about 69.8 mm (about 2.25 inches to about 2.75 inches) taking stacking strength and aesthetics into account. The area of the oval carton openings is preferably from about 38.7 cm<sup>2</sup> to about 103.2 cm<sup>2</sup> (about 6 to about 16 square inches).

Besides the factors outlined above, it will be appreciated that there are a large number of other factors which also contribute to sheet tearing during dispensing, including sheet and clip characteristics. Examples of sheet characteristics include the coefficient of friction, the cross-machine direction (CD) tensile strength, the bulk of the tissue, the length of the tissue, the quality of the crimp holding the tissue plies together, whether the tissue is blended or layered, and so on. Clip quality and clip compression also can play a role. Hence in making comparisons of the ease of dispensing for a given dispensing opening, it is essential that the same tissue sheets be used in all cases.

#### Brief Description of the Drawing

Figure 1 is a perspective view of a prior art upright facial tissue carton having a dispensing opening consisting of a single straight slit aligned in the machine direction of the tissues within the carton.

Figure 2 is a plan view of the carton of Figure 1, further illustrating the dispensing opening.

Figure 3 is a plan view of another prior art upright facial tissue carton which has a dispensing opening consisting of a narrow oval-shaped opening aligned in the machine direction of the tissues within the carton.

Figure 4 is a perspective view of an upright facial tissue carton of this invention having a dispensing opening consisting of a cross-shaped slit.

Figure 5 is a plan view of the carton of Figure 4, further illustrating the dispensing opening.

Figure 6 is a plan view of an upright facial tissue carton of this invention having an x-shaped dispensing opening.

Figure 7 is a plan view of an upright facial tissue carton of this invention having a "bow tie" shaped dispensing opening.

Figure 8 is a plan view of an upright facial tissue carton of this invention having a dispensing opening comprising three intersecting slits.

Figure 9 is a plan view of an upright facial tissue carton of this invention having a "soft" square carton opening and an x-shaped dispensing opening in which the slits extend close to the corners of the carton.

Figure 10 is a plan view of an upright facial tissue carton of this invention having a square carton opening and an x-shaped dispensing opening similar to that of Figure 9.

#### Detailed Description of the Drawing

Referring to Figure 1, shown is a perspective view of a commercially available upright facial tissue carton having a top wall 1, a bottom wall (not shown), and four sidewalls (sidewalls 2 and 3 shown). The top wall contains an oval carton opening 5 overlaid with a plastic film 6 having a dispensing opening in the form of a single slit 7. Within the carton is an inverted u-shaped clip of interfolded tissues 8 indicated by the phantom lines. The machine direction of the tissues within the clip, as viewed from the top of the carton, is parallel to the direction of the dispensing opening slit. During dispensing, the top tissue in the clip is grasped by the user and is withdrawn through the slit. Removal of the top tissue causes the adjacent interfolded tissue, next in line to be dispensed, to be partially pulled through the slit. The partially dispensed tissue 9 is held in a popped-up position by the edges of the slit.

Figure 2 is a plan view of the carton of figure 1, further illustrating the relative dimensions of the carton opening and the dispensing opening. Specifically, the oval carton opening 5 is 88.9 mm (3.5 inches) long and 57.1 mm (2.25 inches) wide. The slit 7 is 82.5 mm (3.25 inches) long.

Figure 3 is a plan view of another commercially available upright facial tissue carton. As with the carton described above, this carton also has an oval carton opening in the top wall of the carton which is overlaid with a plastic film. Compared to the carton illustrated in figure 1, the plastic film of this carton is provided with an open dispensing opening 11 having a length of 88.9 mm (3.5 inches) and a width of 19 mm (0.75 inch) [actual open area of about 12.9 cm<sup>2</sup> (about 2 square inches)]. The oval carton opening has a length of about 95.2 mm (about 3.75 inches) and a width of about 53.97 mm (2.125 inches) [area of about 40.38 cm<sup>2</sup> about 6.26 square inches].

Figure 4 is a perspective view of an upright facial tissue carton in accordance with this invention. As with the carton illustrated in Figure 1, shown is the top wall 1, sidewalls 2 and 3, an oval carton opening 5, and a plastic film 6 overlying the carton opening. The plastic film is adhered to the inside of the top wall with a suitable adhesive. Not shown are the remaining two sidewalls and the bottom wall. In this embodiment, the plastic film contains a cross-shaped slit 12 through which the inverted u-shaped clip of tissues 8 is dispensed. As with the carton of Figure 1, the tissue 9 is held in a popped-up position for easy dispensing. As will be discussed hereinafter, the distance of travel of the corners of the tissues (such as corner 10) during dispensing is a factor contributing to the number of sheet tears. It is desirable to minimize the distance between the corners of the tissues and the dispensing opening.

Figure 5 is a plan view of the carton of Figure 4, further illustrating the dispensing opening. Shown is the top 1 of the carton, the oval carton opening 5, the plastic film 6, and the cross-shaped dispensing opening 12 centrally located within the carton opening. For purposes herein, this particular dispensing opening has no "actual" open area because the slits are very thin and there are no open holes in the plastic film. However, this dispensing opening has an "effective" open area defined as the area within the dashed lines 13, 14, 15 and 16 which connect the ends of the slits to form a parallelogram. These dashed lines also approximate the fold lines of the plastic film when a tissue is withdrawn through the opening. Because the plastic film offers no substantial resistance to the tissue as it is withdrawn, the entire area within the dashed lines is effectively an open area. Yet at the same time, the edges of the slits provide the function of gently constricting the partially dispensed tissue to maintain the popped-up configuration. In this embodiment, the maximum width of the dispensing opening is the length of the cross slit 17, which is aligned parallel to the cross-machine direction of the tissues within the carton. The longer slit 18 is aligned parallel to the machine direction of the tissues within the carton and represents the length of the dispensing opening.

Figure 6 is a plan view of a tissue carton of this invention similar to that of Figure 5, but illustrating an x-shaped dispensing opening 21. The effective area of the dispensing opening is defined by the dashed lines 22, 23, 24 and 25. As shown, the dispensing opening is essentially formed by two intersecting slits which intersect at an angle of about 50°. In this embodiment, the maximum width of the dispensing opening is the distance between the ends of the two slits as represented by the length of dashed lines 23 and 25. As is apparent from the drawing, the distance which the corners of the tissue must travel to reach the dispensing opening is minimized by the x-shaped slits which extend toward the corners of the carton.

Figure 7 is a plan view of another tissue carton of this invention similar to that of Figure 6, but having a "bow tie" shaped dispensing opening. In this embodiment, the two v-shaped flaps 31 and 32 formed by the intersecting slits are

completely cut out of the plastic film to form the "actual" open area of the dispensing opening. The "effective" open area is larger than the actual open area and is the area defined by the bounded by dashed lines 33 and 34 and the edges 35 and 36 of the open area. This embodiment is advantageous because the removal of the v-shaped flaps to create the two open areas is believed to be more aesthetically appealing during use. As with the embodiment illustrated in Figure 6, the width of the dispensing opening for this embodiment is measured by the length of edges 35 and 36.

Figure 8 is a plan view of another embodiment of a tissue carton in accordance with this invention. This carton has an oval carton opening 5 and a dispensing opening defined by three intersecting slits 41, 42, and 43. The effective area is defined by the area within the dashed lines 44, 45, 46, 47, 48 and 49. This embodiment provides a slightly larger effective open area than the embodiment illustrated in Figure 7.

Figure 9 is a plan view of another embodiment of a tissue carton in accordance with this invention. This carton is provided with a "soft" or curvilinear square carton opening 51. The plastic film is provided with an x-shaped dispensing opening having two intersecting slits 52 and 53 and has an effective open area slightly less than the area of the top wall of the carton, or about 103.2 cm<sup>2</sup> (about 16 square inches) if applied to typical commercially available upright cartons which measure about 114.3 mm (about 4.5 inches) on a side.

Figure 10 is a plan view of another embodiment of a tissue carton in accordance with this invention similar to that of figure 9, but having a straight square carton opening 55.

Referring to the examples below, the invention will be described in further detail.

### Examples

**Example 1.** In order to illustrate the improved dispensing provided by the carton openings of this invention, a number of different carton and dispensing openings were tested for sheet tears. More particularly, upright facial tissue cartons containing a conventional straight slit dispensing opening were compared to carton having a x-shaped dispensing opening and a cross-shaped dispensing opening, all with three different sizes of oval carton openings. Specifically, the test samples were as follows:

**Sample A**, as shown in figure 2, having a straight slit length of 82.5 mm (3.25 inches) and an oval carton opening having a length of 88.9 mm (3.5 inches), a width of 57.15 mm (2.25 inches) and an area of about 40 cm<sup>2</sup> (6.2 square inches). (This carton opening is designated herein as the "current" oval carton opening because it is the size being used in current commercially available upright cartons of Kleenex<sup>®</sup> facial tissues);

**Sample B**, as shown in figure 6, having an oval carton opening the same as sample A and having an x-shaped dispensing opening with 76.2 mm (3.0 inch) slits intersecting at an angle of about 37° to provide a dispensing opening width of about 25.4 mm (1 inch) and having an effective open area of about 19.3 cm<sup>2</sup> (3 square inches);

**Sample C**, as shown in figure 5, having an oval carton opening the same as sample A and having a cross-shaped dispensing opening with a lengthwise slit of 82.5 mm (3.25 inches) and a cross slit of 50.8 mm (2.0 inches) (the dispensing opening width) and an effective open area of about 21 mm<sup>2</sup> (3.25 square inches);

**Sample D**, having a straight slit dispensing opening length of about 83.82 mm (3.3 inches) and an oval carton opening measuring 88.9 mm by 66.8 mm (3.5 inches by 2.63 inches) and having a carton opening area of about 46.4 cm<sup>2</sup> (7.2 square inches) (herein referred to as the "medium" oval carton opening);

**Sample E**, having the same oval carton opening as sample D, but having an x-shaped dispensing opening with 76.2 mm (3.0 inch) slits intersecting at an angle of about 50° to provide a dispensing opening width of about 33.0 mm (about 1.3 inches) and an effective area of 23.2 cm<sup>2</sup> (3.6 square inches);

**Sample F**, having the same oval carton opening as Sample D, but having a cross-shaped dispensing opening with a lengthwise slit of 82.5 mm (3.25 inches) and a cross slit of 63.5 mm (2.5 inches) (the dispensing opening width) and an effective open area of about 26.4 cm<sup>2</sup> (about 4.1 square inches);

**Sample G**, having a straight slit dispensing opening having a length of about 85.8 mm (3.38 inches) and an oval carton opening having a length of 88.9 mm (3.5 inches), a width of 76.2 mm (3 inches) and a carton opening area of about 53.2 cm<sup>2</sup> (about 8.24 square inches) (herein referred to as the "large" oval carton opening);

**Sample H**, having the same oval carton opening as Sample G, but having an x-shaped dispensing opening having 76.2 mm (3.0 inch) slits intersecting at an angle of about 84° to provide a dispensing opening width of about 50.8 mm (about 2 inches) and an effective open area of about 38.7 cm<sup>2</sup> (6 square inches); and

**Sample I**, having the same oval carton opening as Sample G, but having a cross-shaped opening with a lengthwise slit of 82.5 mm (3.25 inches), a cross-slit of 73.7 mm (2.9 inches) (the dispensing opening width) and an effective open area of about 30.3 cm<sup>2</sup> (about 4.7 square inches).

All of the sample cartons were hand packed with clips of interfolded two-ply Kleenex<sup>®</sup> Softique<sup>®</sup> tissues. All of

EP 0 644 130 B1

the cartons were packed at the same time, but the order in which they were packed was randomized. When all of the sample cartons were filled with tissues, two experimenters (designated Exp 1 and Exp 2) dispensed 20 tissues from 15 cartons of each sample type and noted if the tissues tore on removal from the carton. The first two sheets dispensed from the cartons were not counted because the tissue clips within the cartons were interfolded so that the first two tissues dispensed together. The results are set forth below in Table 1. In the Table, the "cross" represents the cross-shaped opening, the "x" represents the x-shaped opening, and "line" represents the straight slit dispensing opening.

TABLE 1

(Tissue Tears During Dispensing)						
Sample	Carton Opening	Dispensing Opening	Tears (Exp 1)	Tears (Exp 2)	Total Tears	Tears per Carton
A	current	line	21	12	33	1.65
B	current	x	2	1	3	0.15
C	current	cross	4	3	7	0.35
D	medium	line	7	5	12	0.60
E	medium	x	3	1	4	0.20
F	medium	cross	3	3	6	0.30
G	large	line	16	10	26	1.30
H	large	x	7	2	9	0.45
I	large	cross	0	1	1	0.05

The results show that the x-shaped dispensing opening and the cross-shaped dispensing opening are statistically better than the straight slit dispensing opening, although there is no statistical difference between the x-shaped opening and the cross-shaped opening for this sample size. Without being bound to any theory, it is believed that the dispensing of the tissues is improved when the corners of the tissue sheet within the carton are provided with a shorter path during dispensing, since the corners must travel the greatest distance and are therefore more likely to catch or wrap around the underlying tissue. Increasing the width of the dispensing opening and the effective area of the dispensing opening shortens the travel path of the corners of the tissues and hence reduces the tendency to tear.

Example 2. In order to further illustrate the benefits of the dispensing openings of this invention, additional dispensing testing was performed using a larger sample size and using commercial 2-ply facial tissues produced at different mill locations (designated Mill #1 and Mill #2). Tissues produced on different tissue machines at different locations inherently possess subtly different dispensing properties. More specifically, the first 20 tissues were removed from 900 upright facial tissue cartons made at each mill location. Each carton initially contained 90 tissues. The carton openings tested were the current oval and the medium oval as described above. The dispensing openings tested were the single line slit opening (control), the x-shaped opening and the cross-shaped opening as described above. The number of sheet tears for each carton were noted and the results averaged for each carton design. The results are set forth in Table 2 below.

TABLE 2

Mill	Carton Opening	Dispensing Opening	Average Tears per Carton
1	current	line	1.96
1	current	x	0.83
1	current	cross	1.28
1	medium	x	0.88

TABLE 2 (continued)

Mill	Carton Opening	Dispensing Opening	Average Tears per Carton
1	medium	cross	0.88
2	current	line	2.99
2	current	x	1.41
2	current	cross	1.98
2	medium	x	0.99
2	medium	cross	1.18

**Example 3.** To further illustrate the advantages of the carton opening designs of this invention, commercially available cartons as illustrated in Figure 3 were tested for dispensing tears using two different tissue basesheets (designated type 1 and type 2). One test carton was the carton as illustrated in Figure 3 containing the tissues normally sold in such cartons (tissue type 1). The second test carton was also the carton of Figure 3, but containing different tissues (tissue type 2). The third carton was a carton of this invention having the current oval with the x-shaped opening and containing type 1 tissues. Twenty cartons of each design were filled with commercially available tissues. The first twenty tissues from each carton were dispensed and the number of tears noted. The results are set forth in Table 3.

TABLE 3

Sheet Count	Tissue Type	Carton Opening	Dispensing Opening	Average Tears per Carton
95	1	Figure 3	Figure 3	0.85
90	2	Figure 3	Figure 3	2.45
95	1	current	x	0.15

These results further illustrate the improved dispensing of the cartons of this invention. When compared to the data in the previous examples, these results also illustrate the pronounced effect that the properties of the tissue sheet have on the number of tears which occur during dispensing.

It will be appreciated that the foregoing examples, given for purposes of illustration, are not to be construed as limiting the scope of this invention, which is defined by the following claims.

#### Claims

1. An upright tissue carton containing an inverted u-shaped clip (8) of interfolded tissues, said carton having a top wall (1), four side walls (2,3) and a bottom wall, said top wall having a carton opening (5) overlaid with a flexible plastic film (6) attached to the top wall, and said plastic film having a dispensing opening through which the tissues are withdrawn from the carton, characterized in that said dispensing opening comprises intersecting slits (9, 17, 18 ; 21 ; 41, 42, 43 ; 52, 53).
2. The carton of Claim 1 wherein the dispensing opening has an effective open area of about 19.4 cm<sup>2</sup> (about 3 square inches) or greater.
3. The carton of claim 1 wherein the dispensing opening has an effective open area of from about 19.4 cm<sup>2</sup> to about 103.2 cm<sup>2</sup> (about 3 to about 16 square inches).
4. The carton of claim 1 wherein the dispensing opening has an effective open area of from about 19.4 cm<sup>2</sup> to about 38.7 cm<sup>2</sup> (about 3 to about 6 square inches).
5. The carton of any of claims 1 to 4 wherein the dispensing opening has an actual open area of about 12.9 cm<sup>2</sup> (2 square inches) or less.

6. The carton of any of claims 1 to 5 having a dispensing opening having an actual open area and wherein the effective open area of the dispensing opening is larger than the actual open area.
7. The carton of any of claims 1 to 6 having a oval carton opening (5).
8. The carton of any of claims 1 to 6 having a square carton opening (5).
9. The carton of any of claims 1 to 8 having a carton opening (5) of from about 45.2 to about 103.2 cm<sup>2</sup> (about 7 to about 16 square inches).
10. The carton of any of claims 1 to 9 wherein there are two intersecting slits (17, 18 ; 21 ; 52, 53).
11. The carton of claim 10 wherein said two slits (21) intersect at an acute angle to form an x-shaped dispensing opening.
12. The carton of claim 10 wherein said two slits (17, 18 ; 52, 53) intersect to form a cross-shaped dispensing opening.
13. The carton of any of claims 1 to 9 wherein there are three intersecting slits (41, 42, 43).
14. The carton of any of claims 1 to 13 wherein said slits (17, 18 ; 21 ; 41, 42, 43 ; 52, 53) are centrally located within the carton opening (5).

#### Patentansprüche

1. Aufrechter Karton für Tissue-Tücher, der eine Anordnung (8) in der Form eines umgekehrten Us von ineinandergefalteten Tissue-Tüchern enthält, wobei der Karton eine obere Wand (1), vier Seitenwände (2,3) und eine untere Wand aufweist, wobei die obere Wand eine Kartonöffnung (5) aufweist, auf welcher eine flexible, an der oberen Wand befestigte Kunststoffolie aufliegt, und die Kunststoffolie eine Ausgabeöffnung aufweist, durch welche die Tissue-Tücher aus dem Karton entnommen werden, dadurch gekennzeichnet, daß die Ausgabeöffnung sich kreuzende Schlitze (9,17,18; 21;41,42,43;52,53) aufweist.
2. Karton nach Anspruch 1, bei dem die Ausgabeöffnung eine effektive offene Fläche von etwa 19,4 cm<sup>2</sup> (etwa 3 Inch<sup>2</sup>) oder größer aufweist.
3. Karton nach Anspruch 1, bei dem die Ausgabeöffnung eine effektive offene Fläche von etwa 19,4 cm<sup>2</sup> bis etwa 103,2 cm<sup>2</sup> (etwa 3 bis etwa 16 Inch<sup>2</sup>) aufweist.
4. Karton nach Anspruch 1, bei dem die Ausgabeöffnung eine effektive offene Fläche von etwa 19,4 cm<sup>2</sup> bis etwa 38,7 cm<sup>2</sup> (etwa 3 bis etwa 6 Inch<sup>2</sup>) aufweist.
5. Karton nach einem der Ansprüche 1 bis 4, bei dem die Ausgabeöffnung eine tatsächliche offene Fläche von etwa 12,9 cm<sup>2</sup> (2 Inch<sup>2</sup>) oder weniger aufweist.
6. Karton nach einem der Ansprüche 1 bis 5, der eine Ausgabeöffnung aufweist mit einer tatsächlichen offenen Fläche und bei dem die effektive offene Fläche der Ausgabeöffnung größer ist als die tatsächliche offene Fläche.
7. Karton nach einem der Ansprüche 1 bis 6, der eine ovale Kartonöffnung (5) aufweist.
8. Karton nach einem der Ansprüche 1 bis 6, der eine viereckige Kartonöffnung (5) aufweist.
9. Karton nach einem der Ansprüche 1 bis 8, der eine Kartonöffnung (5) von etwa 45,2 bis etwa 103,2 cm<sup>2</sup> (etwa 7 bis etwa 16 Inch<sup>2</sup>) aufweist.
10. Karton nach einem der Ansprüche 1 bis 9, der zwei sich kreuzende Schlitze (17,18;21;52,53) aufweist.
11. Karton nach Anspruch 10, bei dem die zwei Schlitze (21) sich im spitzen Winkel kreuzen zur Bildung einer X-förmigen Ausgabeöffnung.



## EP 0 644 130 B1

12. Karton nach Anspruch 10, bei dem die zwei Schlitz (17,18;52,53) sich kreuzen zur Bildung einer kreuzförmigen Ausgabeöffnung.

13. Karton gemäß einem der Ansprüche 1 bis 9, der drei sich kreuzende Schlitz (41,42,43) aufweist.

5

14. Karton gemäß einem der Ansprüche 1 bis 13, bei dem die Schlitz (17,18;21;41,42,43;52,53) zentral innerhalb der Kartonöffnung (5) angeordnet sind.

### Revendications

10

1. Carton d'emballage vertical contenant une pile pliée (8) en forme de U inversé de mouchoirs pliés les uns dans les autres, ledit carton ayant une paroi supérieure (1), quatre parois latérales (2,3) et une paroi de fond, ladite paroi supérieure ayant une ouverture (5) recouverte par un film de plastique flexible (6) fixé à la paroi supérieure, et ledit film de plastique ayant une ouverture de distribution au travers de laquelle les mouchoirs sont extraits de l'emballage, caractérisé en ce que ladite ouverture de distribution comporte des fentes sécantes (9,17,18 ; 21 ; 41,42,43 ; 52,53).

15

2. Carton selon la revendication 1, dans lequel l'ouverture de distribution a une surface d'ouverture efficace d'environ 19,4 cm<sup>2</sup> (environ 3 pouces<sup>2</sup>) ou davantage.

20

3. Carton selon la revendication 1, dans lequel l'ouverture de distribution a une surface d'ouverture efficace comprise entre environ 19,4 cm<sup>2</sup> et environ 103,2 cm<sup>2</sup> (environ 3 à environ 16 pouces<sup>2</sup>).

4. Carton selon la revendication 1, dans lequel l'ouverture de distribution a une surface d'ouverture efficace comprise entre environ 19,4 cm<sup>2</sup> et environ 38,7 cm<sup>2</sup> (environ 3 à environ 6 pouces<sup>2</sup>).

25

5. Carton selon l'une quelconque des revendications 1 à 4, dans lequel l'ouverture de distribution a une surface d'ouverture réelle d'environ 12,9 cm<sup>2</sup> (environ 2 pouces<sup>2</sup>) ou moins.

30

6. Carton selon l'une quelconque des revendications 1 à 5, pourvu d'une ouverture de distribution ayant une surface d'ouverture réelle et dans lequel la surface d'ouverture efficace de l'ouverture est supérieure à la surface d'ouverture réelle.

7. Carton selon l'une quelconque des revendications 1 à 6 ayant une ouverture ovale (5).

35

8. Carton selon l'une quelconque des revendications 1 à 6 ayant une ouverture carrée (5).

9. Carton selon l'une quelconque des revendications 1 à 8 ayant une ouverture (5) d'environ 45,2 cm<sup>2</sup> à environ 103,2 cm<sup>2</sup> (environ 7 à 16 pouces<sup>2</sup>).

40

10. Carton selon l'une quelconque des revendications 1 à 9 ayant deux fentes sécantes (17,18 ; 21 ; 52,53).

11. Carton selon la revendication 10, dans lequel lesdites deux fentes (21) s'entrecoupent selon un angle aigu pour former une ouverture de distribution en forme de X.

45

12. Carton selon la revendication 10, dans lequel lesdites deux fentes (17,18 ; 52,53) s'entrecoupent pour former une ouverture de distribution en croix.

13. Carton selon l'une quelconque des revendications 1 à 9 ayant trois fentes sécantes (41,42,43).

50

14. Carton selon l'une quelconque des revendications 1 à 13, dans lequel lesdites fentes (17,18 ; 21 ; 41,42,43 ; 52,53) sont disposées centralement dans l'ouverture (5).

55




FIG. 1  
(PRIOR ART)




FIG. 2  
(PRIOR ART)




FIG. 3  
(PRIOR ART)




FIG. 4






FIG. 5






FIG. 8




FIG. 9




FIG. 10